



After the floating smoke signal ignites, it floats on the surface of the water and ejects orange-yellow smoke at a constant rate for a certain period of time without ejecting any fire distress signal.

Characteristics:

This product complies with relevant requirements of SOLAS 74/96, LSA stipulation and it is MSC.218 (82) amendment and MSC. 81(70) lifesaving equipment standards. It is accredited by ce certificate issued by Germanischer Lloyd AG, approved by China Classification Society(CCs) and the Register of shipping of the People's Republic of China.

It is used for leading safe landing of ships and vessels, life raft; offshore platform signaling and indicating position

Main technical parameters:

- 1)Luminous color: red;
- 2)Burning time:≥3min;
- 3)Visible distance:≥2mile;
- 4)Ambient temperature for use and storage:-30℃~+65℃;
- 5)Validity: 3 years

Ningbo Zhenhua Electrical Equipment Co.Ltd.

Address:No.111 yingang rd., xizhou, xiangshan, zhejiang province, china

Post No.: 315700 Phone:+86-136 0678 3177

Tel:+86-574-87898900 Tel:+86-574-87896971

Fax:+86-574-87896981 E-mail:nb9@zhen-hua.com

Company Website:www.lifesavingseries.com



SAFETY FIRST, QUALITY FIRST



Ningbo Zhenhua Electrical Equipment Co.Ltd.

Address: No. 111 yingang rd., xizhou, xiangshan, zhejiang province, china

Post No.: 315700 Phone: +86-136 0678 3177

Tel: +86-574-87898900 Tel: +86-574-87896971

Fax: +86-574-87896981 E-mail: nb9@zhen-hua.com

Company Website: www.lifesavingseries.com



SAFETY FIRST, QUALITY FIRST

COMPANY ADVANTAGE



CORPORATE CERTIFICATE



Ningbo Zhenhua Electrical Equipment Co.Ltd.

Address: No. 111 yingang rd., xizhou, xiangshan, zhejiang province, china

Post No.: 315700 Phone: +86-136 0678 3177

Tel: +86-574-87898900 Tel: +86-574-87896971

Fax: +86-574-87896981 E-mail: nb9@zhen-hua.com

Company Website: www.lifesavingseries.com